

(a) an anti-human Fas antibody having an apoptosis inducing activity, said anti-human Fas antibody being monoclonal antibody CH11, monoclonal antibody HFE7A or a humanized antibody of monoclonal antibody CH11 or monoclonal antibody HFE7A; and

91 (b) a compound having a folate antagonistic activity or a dihydrofolate reductase ~~inhibiting~~ activity, said compound being methotrexate,

the relative amounts of said pharmacologically active agents (a) and (b) being such that said pharmacologically active agents (a) and (b) exhibit a synergistic apoptosis inducing activity.

14. (Amended) A method for the treatment of a disease selected from the group consisting of rheumatoid arthritis, chronic thyroiditis, allergic encephalitis, myasthenia gravis, hyperthyroidism, extreme insulin resistance in diabetes, rheumatic fever, human hemolytic anemias, granulocytopenias, thrombocytopenias and systemic lupus erythematosus comprising
A2 administering to a human in need thereof effective amounts of the following active ingredients:

(a) an anti-human Fas antibody having an apoptosis inducing activity, said anti-human Fas antibody being monoclonal antibody

CH11, monoclonal antibody HFE7A or a humanized antibody of monoclonal antibody CH11 or monoclonal antibody HFE7A; and
(b) a compound having a folate antagonistic activity or a dihydrofolate reductase inhibiting activity, said compound being methotrexate,

Q2 the relative amounts of the active ingredients (a) and (b) being administered such that said active ingredients (a) and (b) exhibit a synergistic apoptosis inducing activity.

17. (Amended) The method according to claim 14, wherein said anti-human Fas antibody having apoptosis inducing activity is the monoclonal antibody CH11 or a humanized antibody thereof.

Q3 18. (Amended) The method according to claim 14, wherein said anti-human Fas antibody having apoptosis inducing activity is the monoclonal antibody HFE7A which is produced by a mouse-mouse hybridoma HFE7A (FERM BP-5828) or a humanized antibody thereof.

Q4 27. (Amended) The method according to claim 14, wherein the anti-human Fas antibody is administered in a daily dosage of 0.001 to 10 mg/kg and the compound having a folate antagonistic

activity or a dihydrofolate reductase inhibiting activity is administered in a daily dosage of 0.15 µg/kg to 0.15 mg/kg.

28. (Amended) A method for the treatment of a disease selected from the group consisting of rheumatoid arthritis, chronic thyroiditis, allergic encephalitis, myasthenia gravis, hyperthyroidism, extreme insulin resistance in diabetes, rheumatic fever, human hemolytic anemias, granulocytopenias, thrombocytopenias and systemic lupus erythematosus comprising administering to a human in need thereof effective amounts of a medicament in the form of a solution comprising pharmacologically active agents together with a diluent therefor, wherein said pharmacologically active agents comprise:

014 (a) an anti-human Fas antibody having apoptosis inducing activity selected from the group consisting of monoclonal antibody CH11, monoclonal antibody HFE7A and a humanized antibody of monoclonal antibody CH11 or monoclonal antibody HFE7A, in a concentration of 0.1 to 100 ng/ml; and

(b) methotrexate at a concentration of 0.05 to 5 nM,

the relative amounts of said pharmacologically active agents

(a) and (b) being such that said pharmacologically active agents

(a) and (b) exhibit a synergistic apoptosis inducing activity.

Please cancel claims 2, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16,
19, 20, 21, 22, 23, 24, 25, 26 and 29 to 43, without prejudice.

Please add the following claims:

--44. (New) The method according to claim 14, wherein said
disease is rheumatoid arthritis.

45. (New) The method according to claim 17, wherein said
disease is rheumatoid arthritis.

46. (New) The method according to claim 18, wherein said
disease is rheumatoid arthritis.

47. (New) The method according to claim 27, wherein said
disease is rheumatoid arthritis.

48. (New) The method according to claim 28, wherein said
disease is rheumatoid arthritis.--